



Packing Information

EH-6 Package, LT Suffix




Footprint: 2 mm x 3 mm
Contact Population: Two Sides (DFN Type 1)
Contact Count: 6 plus exposed pad
Non JEDEC Standard



- Embossed tape and reel
- Long axis of device perpendicular to unreel direction
- Pin 1 on sprocket hole side (leading edge: quadrant 2)

- Terminals inward
- 3000 devices per 7 in. reel
- 40 min. trailer pockets
- 40 min. leader pockets




Access hole and hub configuration may vary at supplier discretion within limits shown

Dimensions in mm

Type	A	B	C	D	N
Plastic 7 in.	178 (Nom)	1.5 (Min)	13 ^{+0.5} _{-0.2}	20.2 (Min)	60 (Nom)
W₁ (inside, at Hub)			8.4 (+2.0/-0.0)		
W₂ (outside, at Hub)			14.4 (Max)		

Reference EIA 481




Dimensions in mm, may vary with supplier

Carrier Tape			Cover Tape
W: 8.20 ±.3	D ₀ : 1.50 ±.1/-0	A ₀ : 2.30	W _c : 5.30
E: 1.75 ±.1	P ₀ : 4.00 ±.1	B ₀ : 3.30	T _c : 0.061 (0.1 MAX)
F: 3.50 ±.05	P ₁ : 4.00 ±.1	K ₀ : 1.00	
T: 0.30 (0.6 MAX)	P ₂ : 2.00 ±.15	D ₁ : 1.00 MIN	


1. Pocket centerlines to cavity center, not to pocket detection hole.
2. A₀ and B₀ measured 0.3mm above bottom of pocket.

Reference EIA 481



Reference EIA 481

EH-6 Package, LT Suffix




Carton Dimensions (mm)

Type	Length	Width	Height	Inner Carton Standard Quantity	Outer Carton Standard Quantity
TC14	205	190	35	3000	--
TC11A	245	214	212	--	18000
TC11	321	321	291	--	36000
TC17A	556	403	400	--	144000



* Carton Details pertain only to Full Standard Increments. Partial orders will only be provided for samples or due to exceptional circumstances. Partial orders may not be packed according to Carton Details but may require protective filler, empty inner boxes or other packing modifications.

EH-6 Package, LT Suffix


Reel Production Label [A]
 28.58mm x 101.6mm

	Part (P)	A123456XXX-XXXXXXXXXX-XXXXXXXXXX		
	Mfr PN (1P)	A123456-XXXX-XXXX		
	Qty (Q)	1000		
	Lot (1T)	1234567XXX	Qty (1Q)	1000
	Lot 2 (2T)	N/A	Qty (2Q)	0



Moisture Sensitive Device
 Peak Reflow 260°C

ALLEGRO microsystems MS-Level (13E) 2
 Reel _____ Date (12D) 2019-01-01  

Box Flap Label [B]
 28.58mm x 101.6mm


	Part (P)	A123456XXX-XXXXXXXXXX-XXXXXXXXXX		
	Mfr PN (1P)	A123456-XXXX-XXXX		
	Qty (Q)	1000		
	Lot (1T)	1234567XXX	Qty (1Q)	1000
	Lot 2 (2T)	N/A	Qty (2Q)	0


Moisture Sensitive Device
 Peak Reflow 260°C


ALLEGRO microsystems MS-Level (13E) 2
 Reel _____ Date (12D) 2019-01-01  





1D Production Label [C]
 63.5mm x 101.6mm


0000000000
 Allegro MicroSystems
 Manchester, NH 03103 USA


Cust PN: 999999XXX-XXX99999XX_000000000



Mfr PN: 999999XXX-XXX99999XX_000000000





Alg In: 000000XXX-XXX00000XX


Lot 1: 1234567XXX 	Qty 1: 10000 
Lot 2: 1234567XXX 	Qty 2: 5000 

D/C: 1234










Total Qty: 15000









ALLEGRO microsystems

 

Inner Carton Label [D]
 101.6mm x 165.1mm

ALLEGRO microsystems Allegro MicroSystems Manchester, NH 03103, USA (4L) Made In United States







(P) Customer Part A12345XXXX-XXXXXXXXXX-000000000 	(1K) Sales Order 00000000 
(1P) Manufacturer Part A12345XXXX-XXXXXXXXXX-000000000 	(9D) Date Code 1234 
(1T) Lot 1234567XXX 	(Q) Quantity 100000 
(K) Purchase Order 0000000000-0000000000 	(16K) Delivery 00000000 









C  **US**    Br. Cl. F. I.

Outer Carton Label [E]
 101.6mm x 165.1mm

ALLEGRO microsystems Allegro MicroSystems Manchester, NH 03103, USA (4L) Made In United States

(P) Customer Part A12345XXXX-XXXXXXXXXX-000000000 	(1K) Sales Order 00000000 
(1P) Manufacturer Part A12345XXXX-XXXXXXXXXX-000000000 	(Q) Quantity 100000 
(K) Purchase Order 0000000000-0000000000 	(16K) Delivery 00000000 




C  **US**    Br. Cl. F. I. 

Outer Carton Address Label [F]
 101.6mm x 165.1mm

Allegro MicroSystems, LLC
 955 Perimeter Rd
 Manchester, NH 03103
 United States

ALLEGRO microsystems

Ship To (Shipping Mark):
Allegro MicroSystems, LLC
ATTN: Corporate Label Team
955 Perimeter Rd
Manchester, NH 03103



Package 1 / 1

* Label examples are shown for content purposes only. Labels are not shown to scale. Given label dimensions are approximate. As required, the necessary compliance symbols on the labels will meet the ship to country regulations.

EH-6 Package, LT Suffix

Revision History

Revision No.	Date	ECN No.	Description
0	2015-10-27	OI	ORIGINAL ISSUE
1	2016-07-26	CR-2016-02027	UPDATE REEL LABEL, ADD BOX FLAP LABEL, RE-LETTER LABELS.
2	2019-04-18	CR-2019-01657	UPDATE PACKAGE AND ORIENTATION GRAPHICS. ADD EIA STANDARD TOLERANCES. UPDATE PACKING GRAPHIC AND OPTIONS TABLE. UPDATE LABEL GRAPHICS. ADD OUTER CARTON ADDRESS LABEL. UPDATE COPYRIGHT DATE. UPDATE ALLEGRO ADDRESS. UPDATE LOGO.
3	2021-04-27	CR-2021-01203	UPDATE TO NEW LAYOUT.

This document provides reference information that can be used to identify leadform and packing options offered by Allegro MicroSystems. This information is for reference only, and not for tooling use. This information is subject to change without notice. Packing and labelling for shipment may vary with device type, quantities, and other conditions; specifications may vary with contract terms and availability.

Packing options vary according to the individual device being offered. Refer to the device datasheet (visit our website at: www.allegromicro.com) for a listing of packing options for that device. Not all options are available for any particular package designation or device type, and provision of certain configurations may be subject to minimum volume or NCNR (noncancellation, nonreturn) limitations. Contact your local Allegro field service representative for additional information.

For more information on the physical appearance of device packages and leadforms, refer to the device datasheet or the application note **Allegro Package Designations** on the Allegro website. When applicable, references are provided to industry standards, such as for tape and reel specifications standard package outline designations. These references are provided for informational purposes only, and do not necessarily indicate full conformity with that standard in all respects. No dimensional tolerances are guaranteed or implied for bulk packing.

© 2021, Allegro MicroSystems

Allegro MicroSystems reserves the right to make, from time to time, such departures from the detail specifications as may be required to permit improvements in the performance, reliability, or manufacturability of its products. Before placing an order, the user is cautioned to verify that the information being relied upon is current.

Allegro's products are not to be used in life support devices or system, if a failure of an Allegro product can reasonably be expected to cause the failure of that life support device or system, or to affect the safety or effectiveness of that device or system.

The information included herein is believed to be accurate and reliable. However, Allegro MicroSystems assumes no responsibility for its use; nor for any infringement of patents or other rights of third parties which may result from its use.

Allegro MicroSystems
955 Perimeter Road
Manchester, New Hampshire 03103-3353
U.S.A.
1.603.626.2300 | www.allegromicro.com